Print Optimizer

Download Online:

Click on **https://support.coldesi.com/Portals/8/Support Docs/PrintOptimizer/ Digital Heat FX 8239.zip**

- To begin downloading the DFX Print Optimizer.
- Download will begin Automatically [Please check your Download Folder if unable to locate].
- File will be in a **Compressed "Zipped"** format once completed.
  Please Extract "Unzip" before attempting to run Setup Installation

Extracting "Unzip" the File

- Click and Highlight the **"Folder".**
- Right click the mouse.
- Highlight and click on **Extract All**…
- Select a destination and extract files, click on **Extract.**
  ***Will extract to current location of the zip folder.*
- Once extracted can now begin the Installation Process.

Locate the **Setup - Application** from the Extracted Folder.

Setup	11/30/2017 12:32 ...	BMP File	296 KB
setup	11/30/2017 12:32 ...	Application	1,172 KB
setup	11/30/2017 12:32 ...	Icon	32 KB
setup	11/30/2017 12:32 ...	Configuration sett...	4 KB
setup.inx	11/30/2017 12:32 ...	INX File	394 KB

Double Click and **Install Wizard** will begin.

Choose **Language:**

CADlink - InstallShield Wizard

Select the language for the installation from the choices below.

English

OK   Cancel

Digital HEAT FX
digitalheatfx.com

Install your Print Optimizer "USB Dongle"
Do NOT Proceed until USB Dongle has been installed.

USB Flash Dongle

Connect your dongle PRIOR to installing your software! Windows will automatically detect the device, and you can then click Next to continue.

InstallShield

< Back | Next > | Cancel

Choose your Operating System type:

It will be either 32-Bit or 64-Bit

**If unsure of which Operating System** Open **Control Panel** and click on **System.**

Once this is known, **select the appropriate Type:**

System

Control Panel > System and Security > System

Control Panel Home
View basic information about your computer

Device Manager
Remote settings
System protection
Advanced system settings

Windows edition
Windows 10 Pro
© 2017 Microsoft Corporation. All rights reserved.

System
Processor: Intel(R) Core(TM) i5-6500 CPU @ 3.20GHz   3.19 GHz
Installed memory (RAM):   12.0 GB
System type: 64-bit Operating System, x64-based processor
Pen and Touch: No Pen or Touch Input is available for this Display

Digital Heat FX Print Optimizer Setup

Application Type
Choose either the 32-bit or 64-bit application type.

The 32-bit Windows application might be necessary if you have 32-bit third-party plug-ins.

○ 32-bit Windows Application
● 64-bit Windows Application

InstallShield

< Back | Next > | Cancel

Installation:
Press **Next.**

Digital Heat FX Print Optimizer Setup

Welcome to the InstallShield Wizard for Digital Heat FX Print Optimizer

The InstallShield Wizard will install Digital Heat FX Print Optimizer on your computer. To continue, click Next.

< Back | Next > | Cancel

Terms and Agreements
Once you review, if you accept press **Next.**

Digital Heat FX Print Optimizer Setup

License Agreement
Please read the following license agreement carefully.

CADLINK LICENSE AGREEMENT
You should carefully read the following terms and conditions before continuing with the installation of this software program from CADlink Technology Corporation, (CADlink). If you do not agree with these terms, you should return the software and accompanying security device within 5 business days of receipt and your money will be refunded. In consideration of payment of the license fee which is part of the price you paid for this product, CADlink provides this software and licenses its use; you assume responsibility for the selection of the software to achieve your intended results, and for the installation, use, and results obtained from the software.

NOTE: A security device may accompany the software purchased by you. If such security device accompanies the software you purchased, it is required to be installed on your computer at all times during use of the program to ensure proper operation of the software. If the security device is lost, stolen or damaged by whatever means, a replacement security device dedicated to a replacement software program must be repurchased at CADlink's then current published price.

LICENSE:
You may:

● I accept the terms of the license agreement
○ I do not accept the terms of the license agreement

InstallShield

< Back | Next > | Cancel

Select **Full Install of Digital Heat FX Print Optimizer.**

Press **Next.**


Press **Next.**

File Destination:

If needing to place the file in a certain location can do so at this time

Press **Next.**

Installation has been completed.

Press **Finish.**

digitalheatfx.com